

Material Safety Data Sheet MAT 120.5

| roduct Name | 4 MONTH BLEACH IN TANK TOILET BOWL CLEANER | MSDS#: | 001 |
|---------------------|--|---------------------------------|-------------------------|
| Product Description | Organic Bleach Tablet | Validation Da | ite: 10/6/1999 |
| Manufacturer | Waldwick Plastics Corp. 21-25 Industrial Park Waldwick, NJ 07463 | Print Date: | 6/18/2003 |
| Product Identifier | 100 gram white toilet tablet | <u>In case of</u> Emergency: | Telephone: 201-444-6674 |
| Item Number | N/A | Evenings | Тејерноле: 201-244-9170 |
| Formula Number | | | |
| UPC Number | N/A | | |

| Name | CAS# | % by Weight | Exposure Limits: TLV/PEL |
|--|------------------------------------|--------------------|---|
| 1,3-Dichloro-5-Ethyl-5- Methylhydantoin 1,3-Dichloro-5,5- Dimethylhydantoin 1-Bromo-3-Chloro-5,5- Dimethylhydantoin | 89415-87-2 118-52-5 126-06-7 | 10.6 27.4 60 | NA TWA: 0.2 STEL: 0.4 from ACGIH (TLV) TWA: 0.2 from OSHA NA |

| `ection | 3. | Hazards | Identification |
|---------|----|---------|-----------------------|
| 完されらい | J. | nazarus | <i>lucitunication</i> |

Danger: Corrosive. May be fatal if swallowed. Causes eye and skin irritation. Emergency Overview:

| Section 4. First Aid Measures | | | |
|-------------------------------|---|--|--|
| Eye Contact: | Flush with plenty of water for 15 minutes. Consult a physician if irritation persists | | |
| Skin Contact: | Wash with soap and water. Consult a physician if irritation persists. | | |
| Inhalation: | Remove to fresh air, Get medical attention. | | |
| Ingestion: | Do not induce vomiting - contact a physician or a Poison Control Center immediately. Probable mucosal damage may contraindicate the use of gastric lavage. | | |

| Section 5. Fire And Explosion Data | | |
|---------------------------------------|---|--|
| Flammability: | Not flammable. | |
| Flash Point: | > 93 C | |
| Explosive Limits in Air: | Not available. | |
| Products of Combustion: | Not available. | |
| Fire and Explosion Hazards: | Strong oxidizing agent. Mix only with water. | |
| Fire Fighting Media and Instructions: | Use water spray, foam, dry chemical or carbon dioxide, as suitable for the surrounding fire. | |
| Toecial Fire Fighting istructions: | Wear self-contained breathing apparatus and protective clothing appropriate for fighting a chemical fire. | |

Continued on Next Page Page Number: 2 4 Month Bleach In Tank Toilet Bowl Cleaner Section 6. Accidental Release Measures Use dry sweeping compound - dispose according to local regulations. Accidental Spill: Section 7. Handling and Storage Danger: Corrosive. May be fatal if swallowed. Causes eye and skin irritation. Keep in Handling and Storage: original container. Keep out of reach of children. Section 8. Exposure Controls/Personal Protection Ventilation Requirements: No special controls. Eye Protection: Do not get in eyes. Do not get on skin or clothing. Wear rubber gloves when handling. Skin Protection: Respiratory Protection: Avoid breathing dust. None required. Other Protection: Work/Hygienic Practices: None required. Section 9. Physical and Chemical Properties White tablets Description: Odor: Bleach odor Not available 1: Color: White **Boiling/Condensation Point:** Not available. Not available Specific Gravity: Not available Vapor Pressure: Not available. Vapor Density: Not available. Viscosity: 0.54 g/ 100 g water Solubility: Physical Chemical Not available Comments: Section 10. Stability and Reactivity Data Chemical Stability: The product is stable. Do not mix with acid. Conditions of Instability: Incompatibility with Various Do not mix with acid Substances: Thermal decomposition may produce toxic vapors of halogens and oxides of carbon and Hazardous Decomposition Products: nitrogen Will not occur Hazardous Polymerization:

| Continued | on N | lext | Page |
|-----------|------|------|------|
|-----------|------|------|------|

| 4 Month Bleach In Tank | Toilet Bowl Cleaner Page Number |
|--|---|
| Section 11. Toxicologica | al Information |
| Exposure effects | |
| Eye Contact: | Causes eye damage |
| Skin Contact: | Cause skin damage |
| Inhalation: | May cause irritation |
| Ingestion: | May be fatal if swallowed |
| Carcinogenicity: | Not listed as carcinogenic by OSHA, NTP or IARC. |
| Section 12. Ecological Ir | nformation |
| Ecotoxicity: | Not available. |
| Section 13. Disposal Co. | nsiderations |
| Waste disposal: | Dispose in accordance with local regulations. |
| | |
| Section 14. Transport In | formation |
| DOT Classification: | ORM-D |
| oper Shipping Name: | Consumer commodity |
| DOT Identification Number: | Not applicable. |
| Packing Group: | Not applicable. |
| Maritime Transportation: | Not available. |
| Hazardous Substances Réportable Quantity: | Not available. |
| Special Provisions for Transport: | Not available. |
| TØG Classification: | Consumer commodity |
| ADR Classification: | Do not ship to Europe |
| IMDG Classification: | Oxidizing Solid, n.o.s. class 5.1 UN1479, II Ltd. Qty. |
| IATA Classification: | Oxidizing Solid, n.o.s. class 5.1 UN1479, II Ltd. Qty. |
| Section 15. Regulatory II | oformation |
| Federal and State Regulations | SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting: None |
| | California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act: |
| Other Classifications: | WHMIS (Canada) Not controlled under WHMIS (Canada). |


Continued on Next Page

4 Month Bleach In Tank Toilet Bowl Cleaner

Page Number: 4

Section 16. Other Information

HMIS (U.S.A.)



National Fire Protection Association (U.S.A.).



| | |
|---------------------|-----------------|
| NFPA Aerosol Level: | Not applicable. |
| Printed 6/18/2003 | |

Notice to Reader:

Prepared by R. Fellows 10/6/99.

To the best of our knowledge, the information contained herein is eccurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the eccuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hozards that exist.